

### Amendments To The Claims

1. (Currently Amended) A container for holding paintable liquid, the container comprising:
  - a base;
  - a continuous wall extending up from the base and forming a top opening, the top opening being unobstructed;
  - gripping members comprising recesses formed in the wall on opposing sides, and defining a back wall portion therebetween, the back wall portion comprising a smoothly curved surface extending from one of said recesses to the other of said recesses, and the gripping members being sized, shaped, and positioned to permit a user to grip said gripping members with a thumb of a hand on one of said gripping members and fingers of said hand on the other of said gripping members, , and a palm of said hand on the back wall portion, with paint within the container therebetween;
  - a dipping section adjacent to said gripping members, said dipping section being sized, shaped, and positioned to permit a brush to be inserted into said dipping section through said top opening to contact said liquid; and
  - an inclined tongue portion extending upwardly and outwardly from a generally vertical portion of the wall adjacent to said dipping section, the tongue portion being sized, shaped and positioned to permit the brush to be dabbed thereon to remove excess liquid from said brush, and to permit said excess liquid to drain into said dipping section;
  - the gripping members being positioned on an opposite side of the dipping section from the tongue portion;
  - wherein said wall, base, gripping members and tongue portion are configured such that said container has a center of gravity positioned between the gripping members and the tongue portion such that a torque is created about the gripping members when said container is held by said user at said gripping members.
2. (Currently Amended) The container of claim 1, ~~wherein said container has a center of gravity positioned between the gripping members and the tongue portion, wherein a torque is created about the gripping members when said container is held by said user at said gripping members,~~

said container being sized and shaped to limit said torque to no more than one foot-pound when said container is full of paintable liquid.

3. (Original)        The container of claim 2, wherein said torque is no more than 0.8 foot-pounds.
4. (Original)        The container of claim 2, wherein said torque is no more than 0.6 foot-pounds.
5. (Previously Presented)        The container of claim 1, wherein said base has a length and said gripping members extends at least 50% of said length.
6. (Previously Presented)        The container of claim 1, wherein said base has a length and said gripping members extends at least 45% of said length.
7. (Previously Presented)        The container of claim 1, wherein said base has a length and said gripping members extends at least 40% of said length.
8. (Previously Presented)        The container of claim 1, wherein said gripping members comprises at least one recess in said wall.
9. (Previously Presented)        The container of claim 8, wherein said gripping members comprises first and second recesses in said wall, and wherein said first recess is spaced sufficiently apart from said second recess so as to permit said container to be gripped by the placement of a thumb of said user's hand in said first recess and at least one finger of said hand in said second recess.
10. (Original)        The container of claim 8, wherein said wall has a wall height and said at least one recess extends upwards from the base of the container for a distance less than said wall height.
11. (Previously Presented)        The container of claim 1, wherein said gripping members includes ridges to facilitate gripping of said gripping members by said user.

12. (Original)      The container of claim 1, wherein said dipping section has a dipping section width and said tongue portion has a tongue portion width, and said dipping section width is substantially equal to said tongue portion width.
13. (Original)      The container of claim 12, wherein said dipping section width is in the range of 85-115% of said tongue portion width.
14. (Previously Presented)      The container of claim 1, wherein said dipping section includes a tapered section adjacent to said gripping members.
15. (Original)      The container of claim 1, wherein said tongue portion includes a leading edge at a free end of said tongue portion, said leading edge being sized and shaped to provide a wiping surface for said brush.
16. (Original)      The container of claim 1, wherein said tongue portion is sized and shaped to allow a brush having a width of three inches to be dabbed thereon with the entire width of said brush contacting the tongue portion.
17. (Original)      The container of claim 1, wherein said tongue portion extends upwardly at an angle approximately 45 degrees from the horizontal.
18. (Original)      The container of claim 1, wherein said tongue portion includes side edge barriers for preventing excess liquid on said tongue portion from spilling out of a side edge of said tongue portion.
19. (Original)      The container of claim 18, wherein said edge barriers comprise an extension of said wall extending from said base.

20. (Previously Presented)           The container of claim 1, wherein said wall tapers outwardly as said wall extends up from said base, said wall and said gripping members being sized, shaped and positioned to permit at least one of said containers to be stacked inside another of said containers.

21. (Previously Presented)           The container of claim 20, wherein said gripping members comprises at least one recess extending upward from said base of said container.

22. (Canceled)

23. (Canceled)